

FIG. 1





FIG. 2

Priority	Network name (SSID)	Flag
1	AAAA	U (Unknown)
2	BBBB	P(Public)
3	CCCC	H (Hidden)
4	DDDD	Р
5	EEEE	Н
6	FFFF	Р
7	GGGG	Р
, ; ;	•	
М	xxxx	Н

FIG. 3






FIG. 5

Try the connection with the location profile in the higher order of priority.  Location profile checked in the list is employed by automatic switching.  Priority Location profile name Network name (SSID)  Location profile name Network name (SSID)  Yamato Wireless office IBM  ROARD AP-0031  AP-0031  AP-0031  HOTEL_WLAN										
the connection with the location profile in tation profile checked in the list is employed riority  Location profile name  Wireless at Home  Yamato Wireless Office  ROARD  A Cafe  S Airport  Hotel	ection with the location profile in the higher order of priority.	Network name (SSID)	D526B5GROUP	IBM	AP-0031	NLSCAFE	NARITA	HOTEL_WLAN		
the con ation pra inority 2 3 3 4 4 5 6		Location profile name	Wireless at Home	Yamato Wireless Office	ROARD	Cafe	Airport	Hotel		
	the con	ation pro	Priority	-	7	ო	4	5	9	

FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 12






FIG. 13




FIG. 15

